

1:18 Full Proportional Remote Control 4WD Off-road Vehicle




Caution: This model is not a toy, it is designed for user over 14 years of age.
Please use this instruction and the R/C system instruction at the same time.
The instruction is suitable for a type of model whose number is A959.


Sale parts view



Wheels




Swing arm




Pull rod




Tail bracket



C Seat



Tail




Transmission shaft
5.3X50.8




Car shell blue




Car Shell Red



Round head screw level
M2X17.5




Underbody




Turning seat



shock absorber plate



Six angular wheel seat




Box shell



Differential case


Sale parts view

A949-14




Differential cup

A949-15




Positioning seat

A949-16




Motor dustproof seat

A949-17




Central transmission shaft

A949-18




Two floor

A949-20




Servo arm

A949-22




Magic stick 210MM

A949-23




Differential mechanism

A949-24




Reduction gear

A949-26




Motor seat

A949-27



Lithium battery 7.4V
1100mah

A949-28



16g Steering gear

A949-29




Motor heat shield

A949-30




Shaft 9 X 22.1

A949-31




Motor fixed screw gasket

A949-32




390 Electric machinery


Sale parts view




A949-33
Oil-retaining bearing 4X8X3




A949-34
Oil-retaining bearing 8X12X3.5




A949-35
Ball bearing 7x11x3



A949-36
Ball bearing 8x12x3.5




A949-37
Swing arm gasket 1x5



A949-38
Round head self-drilling screw 2.6x6




A949-39
Round head self-drilling screw 2x6



A949-40
Round head screw M2.5*8




A949-41
Round head self-drilling screw 2x16




A949-43
Round head screws with dielectric M2.5X6X6




A949-44
Flat head screw M3X5




A949-46
Ball head screw 10.8X4




A949-47
Countersunk head tapping screws 2X6



A949-48
Countersunk head tapping screws 2X7.5




A949-49
M3 Lock nut



A949-50
Axle pin 1.5X6.7


Sale parts view

A949-51




Differential pin 1.5X16

A949-52




Swing arm pin 2X37

A949-53




Turning seat shaft 2X20.5

A949-54




R Pin

A949-55




Shock absorber

A949-56



Receiver

A949-57



2.4G Remote control

A949-58



Charger